

INSPECT AREA & APPLY EVERY

**2 WEEKS**

WHILE BED BUGS ARE PRESENT

# HOT SHOT<sup>®</sup>

**GUARANTEED**  
TO WORK, OR YOUR MONEY BACK\*



# BED BUG KILLER

WITH **EGG KILL**

*Insecticida para chinches de cama con tratamiento para matar sus huevos*

## TREATMENT

ALSO KILLS FLEAS & DUST MITES • NON-STAINING • NO ODOR  
Spot Treat Mattress Tufts, Folds, Vent Holes & Seams

**KILLS BED BUGS & BED BUG EGGS BY CONTACT**

*Tratamiento – Tratamiento localizado de colchones para grietas, pliegues, agujeros de ventilación y costuras*

Active Ingredient:  
Cypermethrin ..... 0.20%  
Other Ingredients ..... 99.80%

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION** See back booklet for additional precautionary statements.

**MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS**

**PRECAUCIÓN** Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.

\*For terms of guarantee, see back panel.

Net Contents 1 gal (128 fl oz / 3.78 L)



17-16289

**STOP. READ ENTIRE LABEL BEFORE USE. SHAKE WELL BEFORE USING.**  
ALTO. LEA TODA LA ETIQUETA ANTES DE USAR. AGITE BIEN ANTES DE USAR.

**PEEL HERE. RESEALABLE LABEL**  
ABRA AQUÍ. ETIQUETA RESELLABLE


**HOT  
SHOT**

**BED BUG  
KILLER**  
WITH **EGG KILL**

Insecticida para chinches de cama con tratamiento para matar sus huevos

- Where to Use:** Spot treat mattress tufts, folds, vent holes and seams.
- Application:** Spray intended use areas until damp. DO NOT SATURATE.
- How Often to Use:** Inspect area and apply every two weeks while bed bugs are present.
- Also Kills Fleas and Dust Mites • Non-Staining • No Odor

## BED BUG HOME PROTECTION CYCLE



**FOR BEST RESULTS**  
USE THIS PRODUCT AS PART OF A COMPREHENSIVE  
BED BUG TREATMENT PLAN

Treating bed bugs as part of a cycle is key to gaining control. Because infestations may be at a different part of the cycle when treatment begins, the following information will help you determine the best place to begin.

## TREATMENT

If you have detected bed bugs by using the products below, being bitten or observing bed bugs, bed bug eggs or excrement in mattress tufts and bedding, you want to choose from one or more of the following product types depending on your needs:

- Use an aerosol product registered to treat bed bugs and bed bug eggs in cracks and crevices.
- Use a ready-to-use liquid product registered to treat bed bugs and bed bug eggs for spot treatment.
- Use a total release fogger registered to treat bed bugs and bed bug eggs for areas such as carpet, mattress and box spring surfaces, and furniture surfaces.
- Use a mattress treatment kit registered to treat bed bugs and bed bug eggs for mattresses and other household items.

## PREVENTION

To help prevent the spread of bed bugs from already infested areas into uninfested areas, you want to use an appropriate mattress and box spring encasement.

## DETECTION

If you have not seen any bed bugs or are in prevention mode and want to ensure you are still bed bug free, you want to detect using a combination of the following products:

- Hot Shot™ Bed Bug Interceptor™
- Hot Shot™ Bed Bug Glue Trap

### \*GUARANTEE

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

**NOTICE:** To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.  
**NOTA:** Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.



**Questions or Comments?** Call 1-800-917-5431 or visit our website at [www.hotshot.com](http://www.hotshot.com)

¿Preguntas o comentarios? Llame al 1-800-917-5431.

### PROOF OF PURCHASE

FPO UPC  
0 71121 96442 7

Product of India

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-327-8845 EPA Est. Nos. 9688-MO-1(U), 58996-MO-1(AE), 11623-GA-1(CK), 11623-GA-3(CN) Circled letter is first letter of lot number. 17-16290 © 2015 UIC

**STOP. READ ENTIRE LABEL BEFORE USE.**

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

*For indoor use only.*

**Do not use on pets.**



**People and pets should not be allowed in treated areas until spray has dried.**

## **HOW TO USE**

**BEFORE USE:**

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer below the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

**AFTER USE:**

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

## **WHERE TO USE**

**For control of carpet beetles**, thoroughly spray along baseboards and edges of carpeting, under carpeting, rugs and furniture, in closets and on shelving, and wherever else insects are seen or suspected.

**For control of fleas**, thoroughly spray pet beds; resting quarters; nearby cracks and crevices; along and behind baseboards, window and door frames; and localized areas of floor and floor covering where fleas may be present. Pet bedding should be replaced with clean, fresh bedding after treating the area. **Do not treat pets with this product.** To control the source of flea infestations, pets should be treated with a product registered for application to animals.

*Note: Test inconspicuous sample of fabric or rug for staining before use. Check carpet manufacturer's warranty and care and maintenance information before using product on your specific brand of carpeting.*

**For control of bed bugs and bed bug eggs:** Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. Allow treated surfaces to dry thoroughly before use. Inspect area and repeat after 2 weeks if necessary while bed bugs are present. For persistent infestations, consult a professional applicator. **To treat beds for bed bugs and bed bug eggs:** Disassemble the bed frame and remove bedding. Do not apply product to bedding. Apply this product to the bed frame, mattress and box spring. Application to mattresses and box springs is intended for treatment of seams, edges, tufts, folds and vent holes only. Do not saturate the mattress or box spring. Do not treat the entire surface of the mattress or box spring.

**ALTO. LEA TODA LA ETIQUETA ANTES DE USAR.**

## **MODO DE EMPLEO**

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta.

*Solo para uso en espacios interiores.*

**No lo use en mascotas.**



**No permita que las personas ni las mascotas entren en las áreas tratadas hasta que el rocío se haya secado.**

## **CÓMO USAR**

**ANTES DE USAR:**

1. Agite bien antes de cada uso.
2. Quite el sello de la tapa abre fácil y abra la tapa. Deseche el sello.
3. Retire el rociador de su ranura debajo del asa de la botella y quite y deseche la envoltura de plástico. Jale la punta negra de la manguera para que el tubo se extienda por completo.
4. Oprima fuerte la punta negra de la manguera en la abertura de la tapa hasta que trabé.
5. Sostenga el rociador por debajo del nivel del envase y cárguelo bombeando el gatillo varias veces hasta que salga el producto.
6. Ajuste la boquilla al nivel deseado.

**DESPUÉS DE USAR:**

7. Para guardar, gire la boquilla del rociador a la posición de cerrado ("off").
8. NO desconecte la manguera.
9. Coloque el rociador nuevamente en su ranura. La manguera se puede volver a meter en el asa del rociador.

## **DÓNDE USAR**

**Para el control de los escarabajos de las alfombras**, rocíe a fondo a lo largo de bordes inferiores y bordes de alfombras, debajo del alfombrado, de tapetes y muebles, en clósets y estantes, y en cualquier otro lugar donde se observen los insectos o se sospeche que se encuentran.

**Para el control de pulgas**, rocíe a fondo las camas de las mascotas; los lugares de descanso; cerca de grietas y rajaduras; a lo largo y detrás de bordes inferiores, marcos de ventanas y puertas; y zonas localizadas de pisos y coberturas de pisos donde las pulgas puedan estar presentes. Después de tratar el lugar, la cama de la mascota se debe reemplazar con una cama nueva y limpia. **No trate a las mascotas con este producto.** Para controlar la fuente de infestaciones por pulgas, las mascotas se deben tratar con un producto que esté autorizado para aplicar a animales.

*Nota: Antes de usarlo, pruebe el producto en una muestra del tejido o tapete que no se vea para asegurarse de que no manche. Antes de usar el producto en su marca específica de alfombra, revise la garantía y las instrucciones del fabricante sobre el cuidado y mantenimiento de la alfombra.*

**Para el control de chinches de cama y sus huevos:** Aplique como tratamiento localizado a grietas y rajaduras alrededor de bordes inferiores, tablas de suelo, tablas de cama y paredes. Permita que las superficies tratadas se sequen bien antes de usarlas. Inspeccione el área y repita el tratamiento después de 2 semanas si es necesario mientras haya chinches de cama. Para infestaciones persistentes, consulte con un aplicador profesional. **Para aplicar el tratamiento de chinches de cama y sus huevos a las camas:** Desarme el armazón de la cama y retire la ropa de cama. No aplique el producto a la ropa de cama. Aplique este producto al armazón de la cama, el colchón y el box spring. La aplicación a colchones y box springs está dirigida a tratar las costuras, bordes, grietas, pliegues y agujeros de ventilación solamente. No sature el colchón o el box spring. No trate toda la superficie del colchón o el box spring.

Allow the spray to dry before using the mattress and/or box spring. Also apply the product to cracks and crevices in the sleeping area such as baseboards, behind pictures/wall hangings, along and underneath carpet edges and other articles/furniture in the bedroom or sleeping area. Do not apply to stuffed animals or toys. **To treat luggage for bed bugs and bed bug eggs:** Remove contents and spot treat areas that may harbor bed bugs and bed bug eggs, concentrating on corners, pockets inside the luggage and seams. Allow luggage to dry before reuse.

## STORAGE AND DISPOSAL

**Pesticide Storage:** Store in cool, dry area away from heat or open flame.

**Pesticide Disposal:** Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

**CAUTION.** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear protective eyewear. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

### First Aid

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment. You may also contact 1-800-917-5431 for emergency medical treatment information.

### Environmental Hazards

This product is toxic to fish and other aquatic organisms. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

**NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.**

 **Questions or Comments?** Call 1-800-917-5431 or visit our website at [www.hotshot.com](http://www.hotshot.com)

Product of India

Distributed by Spectrum Group

Division of United Industries Corporation

PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 9688-327-8845

EPA Est. Nos. 9688-MO-1 (U), 58996-MO-1 (AE)

11623-GA-1 (CK), 11623-GA-3 (CN)

Circled letter is first letter of lot number. 17-16290 © 2015 UIC

Permita que el rocío se seque antes de usar el colchón y/o el box spring. Además, aplique el producto a grietas y rajaduras en el dormitorio tales como los bordes inferiores, detrás de cuadros, tapices y colgantes, a lo largo y debajo de los bordes de las alfombras y a otros artículos o muebles en el dormitorio o la zona de dormir. No aplique a peluches o juguetes. **Para aplicar el tratamiento de chinches de cama y sus huevos al equipaje:** Vacíe el contenido y aplique como tratamiento localizado a las áreas donde pueda haber chinches de cama y sus huevos, concentrándose en las esquinas, los bolsillos dentro de las maletas y las costuras. Deje secar el equipaje antes de volver a usarlo.

## ALMACENAMIENTO Y ELIMINACIÓN

**Almacenamiento del pesticida:** Guarde en un lugar fresco y seco, lejos del calor o del fuego.

**Eliminación del pesticida:** Envase no rellenable. No vuelva a usar ni a rellenar este envase. **Si está vacío:** Tirelo en la basura u ofrézcalo para reciclar, si existe esa opción. **Si está parcialmente vacío:** Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

## DECLARACIONES PREVENTIVAS

### Riesgos para los seres humanos y los animales domésticos

**PRECAUCIÓN.** Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use gafas de protección. Lávese muy bien con agua y jabón después de manipularlo y antes de comer, beber, masticar chicle, usar tabaco o usar el baño.

### Primeros Auxilios

**Si entra en contacto con los ojos:** Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto. También puede llamar al 1-800-917-5431 para obtener información acerca del tratamiento médico de urgencia.

### Riesgos para el medio ambiente

Este producto es tóxico para los peces y otros organismos acuáticos. Para proteger el medio ambiente, no permita que el pesticida entre o se escurra por drenajes pluviales, zanjas de drenaje, cunetas ni aguas superficiales. Aplicar este producto cuando no haya viento y no se anticipe lluvia en las siguientes 24 horas ayudará a asegurar que ni el viento ni la lluvia arrastren o quiten el pesticida de la zona de tratamiento.

**NOTA:** Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

 **Preguntas o comentarios?** Llame al 1-800-917-5431.